Retail Food Establishment Inspection Report

Floyd County Health Department
Telephone: 812-948-4726
X678

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name	Telephone Number	Date of Inspection (mm/dd/yr)	PERMIT #
Hertz-Ral, LLC DBA Rally's #318	812-944-3670		19-
Establishment Address (number and street, city, state, zip code)	502-266-5325	8-2-19	133

Owner
Joe Hertzman

Owner's Address
4215 Shelbyville Rd   Louisville, Ky 40207

Person in Charge
Nick Foy

Responsible Person's E-mail

Certified Food Manager
Nick Foy 4-17-20

Purpose:
1. Routine
2. Follow-up
3. Complaint *(circled)*
4. Pre-Operational
5. Temporary
6. HACCP
7. Other (list)

Follow-up NO   **Release Date** Today

Summary of Violations:
C 3   NC 2   R 0

Menu Type *(See back of page)*
1___ 2___ 3 ✓ 4___ 5___

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
			-FCHD recieved complaint about a dead insect on single service cup.-	
			- Could not confirm Est was treated for insects 7-30-19.	
344	C		Observed blocked handwashing by chili meat that was cooling.	corrected
129	C		Observed employee starting shift & putting on gloves before washing hands. - Retrain staff	corrected
415	C		Observed mice dropping in area above restroom where single service items are stored.	Today
177	NC		Observed 1 sleeve of cups uncovered in storage shed.	corrected
431	NC		Observed storage shed to have scattered dirt, debris & cigarette butts on ground.	2 days
			-All violations will be checked with upcoming routine inspection. -	

Received by (name and title printed):
NICK FOX

Received by (signature):

Inspected by (name and title printed):
Thomas Snider, EHS

Inspected by (signature):

cc: cc: cc:

Page 1 of 1